STOTT CONCRETE PUMPING

Stott Concrete Pumping Limited


Maypole House Farm Park Lane, Abram, Wigan WN2 5XP, United Kingdom

Tel: +44 (0) 1942 497776 Mob: 07976 329 719 Email: admin@stottconcretepumping.co.uk accounts@stottconcretepumping.co.uk www.stottconcretepumping.co.uk

PUTZMEISTER M16 TRUCK MOUNTED CONCRETE PUMP

Output up to 90 m³/h
Delivery pressure up to 78 bar

BSF 16.09 H




Note: Standard version. Dimensions and weights depend on truck and pump model. Dimensions in mm, MB-Axor 1523 as example

Technical Data

Boom M 16		
Reach height	m	16.4
Horizontal gross reach net	m m	13.0 10.5
Reach depth max.	m	8.1
Unfolding height	m	4.1
End hose length	m	3
Number of arms	3	
Folding system	Z-fold (Z)	
Delivery line	DN 100/4.5	

Pump		BSF	.09 H
	Output	m³/h	-
Rod side	Delivery pressure	bar	-
	Strokes	1/min.	26
Piston side	Output	m³/h	90
	Delivery pressure	bar	78
	Strokes	1/min.	26
	Delivery cylinder	Ømm	230
	Stroke	mm	1400

All data maximum theoretical.



Delivery scope	Standard	Options Package *	Options Package Plus
support plates 4x in magazine			
concrete line DN 100 4,5", 108x4			
concrete hopper RS 900 with agitator	•		
diagnose interface, central for electric and hydraulic	•		
remote control b/w with 25 m cable			
central lubrication strip hopper			
rubber collar	•		
painting: arm assembly RAL 3020 signalred			
painting: pump MB 1227 chrome yellow	•		
flushing water pump 160 l/min 25 bar			
water tank			
concrete line DN100 4,5, PM 22			
EOC (Ergonic output control)			

	Standard	Options Package *	Options Package Plu
radio remote control prop.incl. CPC with output remote control by regulator, engine start/stop		•	•
traffic permission kit			
plash guard foldable on rubber collar		•	
central lubrication hopper, electrical			•
horn at the boom			
high pressure water pump 100 bar with dry-run protection			•
vibrator, electrical			0
hard metal wear parts kit			

* recommended in Europe

Please see quotation for exact serial delivery scope.





